Garden City Field Office 2508 Johns Street Garden City, Kansas 67846-2804



Phone: (620) 276-2901 Fax: (620) 276-9315 www.agriculture.ks.gov

Sam Brownback, Governor

Jackie McClaskey, Secretary David W. Barfield, Chief Engineer Michael A. Meyer, Water Commissioner

October 20, 2016

TYSON FRESH MEATS INC ATTN SHANNON MUDD PO BOX 149 HOLCOMB KS 67851-0149

RE: Change the Place of Use, File Nos. 650, 13202, 20781, 20782.

Dear Ms. Mudd;

Enclosed you will find a Summary Order Approving Application for Change in Place of Use for the above referenced files. Since these orders modify the original documents, it should be recorded at the County Register of Deeds.

These orders modify the authorized acres that can be irrigated by these files. The authorized place of use is as shown on the plats within the change approvals.

An acceptable water flow meter was required to be installed on the diversion works by earlier requirement of the Chief Engineer. These water flow meters shall be used to provide information required on the annual water use report.

This order shall become final if a request for a hearing is not filed with the Chief Engineer within 15 days of the date of service of this order. The date of service is the date listed on the enclosed *Certificate of Service*.

Should you have any questions, please feel free to call this office or arrange an appointment for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Thomas P. Makens

Assistant Water Commissioner

TPM:tpm Enclosures GMD#3

CERTIFICATE OF SERVICE

On this Z day of October 2016, I hereby certify that the attached original Approval of Application to Change the Place of Use under Water Right File 650, 13202, 20781, 20782 dated October 20, 2016, was mailed postage prepaid, first class, US mail to the following:

TYSON FRESH MEATS INC ATTN SHANNON MUDD PO BOX 149 HOLCOMB KS 67851-0149

Division of Water Resources

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area, Call for address:

Topeka -- (785) 862-6300 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 www.ksda.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

1.	Applica under the	ne watei	r right	which i		oroval subject	of the d	Chief I of Use s appli	Engine cation	er to c	hange Polnt ordand	of Div	heck c ersion the cc			cribed	S Garda	∠ SEP 3 en City	EIVED 32 pm 102016 Field Office ater Resources
2.	Name a	nd addr	ess of	Applic	ant: <u>C</u>	Chris Y	ost								•				
3.	Phone Number: ()																		
			ADDR	ESS:	P O B ()X 14 9), H OI	.com	B KS	67851	-014 9	(300	∨ফ7 ?	وصاح	Port	±7	09	DAKOTAKI, 23
	(If there I	s more th	an one	lando	wner, a	ltach st	ıpplemi	ental st	eels a	s neces	sary.)				1				
Sec	n Yua	Range	MEN	T	E%	SE¼	NEW	T	NVA QUALIZ	SE¼	NEV	T	V/A	SE%	NE%	T	SWX	ecv	TOTAL ACRES
19		34	N.C.A	MIX	51174	OL/A	NE%	11174	ONA	ULA	NG/4	31174	01174	SL/4	34	34	34	34	136
	If this ap Owner o	f Land -	NA	AME: ESS:	Same							ace of			ged to				
					1/4		ļ	COT	V%	,			11/4 1			SE	1/4		TOTAL
Sec	. Twp.	Range	ı	l i	SW1/4		NEN	NWX	SW4		NEX	HWW.	SW14	SE1/4	NE%	NW%	sw%	SE1/4	ACRES
19		34W		40	40	40	40		39,12		34	34	34	34	34	34	34	34	590,42
20	24	34W	40	40	40	40	40	40	40	40									320
	For Offl	ce Use	Only;	Code		Fee	\$ 2	.00	<i>TR</i> :	#		Re	celpt	Date _	9/50	>/16	Chec	k#_/	3670

5,	Presently authorized point of diversion:											
	One in the Quarter of the	NC		Quarter of the	SE	Quarter						
	of Section 19, Township	24		Soulh, Range	34	W,						
	In FI County, Kansas, 1320	feet No	orth1320	feet West of S	outheast corne	r of section.						
	Authorized Rate <u>835 gpm</u> Authorized Quantity	272	AF D	epth of well	(fee	∍t)						
	(DWR use only: Computer ID No G	PS	fe	et North	feet We	est)						
	☑ This point will not be changed ☐ This point wi	ll be char	nged as foll	ows:								
	Proposed point of diversion: (Complete only if change is requested)											
	One in the Quarter of the			Quarter of the		Quarter						
	of Section, Township											
	in County, Kansas,											
	Proposed Rate Proposed Quantity_											
	This point is: Additional Well Geo Center List											
	This point is. Additional Well Geo Center Elst	Ulitel Wale	i rigino mai	wai use inis point	m-1	***************************************						
_	Deposite authorized point of divortions											
6.	Presently authorized point of diversion:		,	O		a						
	One in the Quarter of the			Snauer of the		Quarter						
	of Section, Township			South, Range								
	in County, Kansas,											
	Authorized Rate Authorized Quantily											
	(DWR use only: Computer ID No GF				feet We	st)						
	☐ This point will not be changed ☐ This point will	ll be char	ged as follo	ows:								
	Proposed point of diversion: (Complete only if chan	ge is requ	<u>iested)</u>									
ĺ	One in the Quarter of the		(Quarter of the	· · · · · · · · · · · · · · · · · · ·	Quarter						
	of Section, Township		9	South, Range		(EW),						
	In County, Kansas,	feet No	rth	feet West of Sc	outheast corne	r of section.						
	Proposed Rate Proposed Quantity _		Pr	oposed well depth (f	eet)	•						
1	This point is: Additional Well Geo Center List of	other wate	r rights that	will use this point _								
,	Why do you need a new point of diversion?	13a	If the propo	osed point of diversion	on will be refor:	not althin total						
۲.	With go you fleed a new point of diversion?	,ou,	feet of the	existing point of divi	ersion, Indicate	Its location on						
			the diagram	n below in relation to NOTE: The "X" I	the existing pol	nt of diversion,						
			represents	presently authoriz	ed point of div	ersion.)						
			•	North	1	,						
Ω	If a well, is the test hole log attached? Yes No	*	10	D 50 0		חנ						
υ,	If a well, is the test hole tog attached? res re		侠	THE THE								
9.	When do you propose to complete the new point	of		- ' -	• _							
	diversion?		50	_ , _	, –							
			50	_ + _	+	50						
				 	<u>-</u>							
10.	If the point of diversion is a well:		Most D	_ 	ال بر را بر بر	: IN Fael						
	(a) What are you going to do with the old well?		44031 D			C Last						
					7	l						
			50	- + -	+ -	50						
	•				' =							
	(b) When will this be done?		-	- , -								
			ţ									
11.	Groundwater Management District recommendati	on	100	ງ 50 ໆຖູ	50 10	10						
	attached? Yes No			South Scale: 1") ≈ 100'							
	All Market	13b.	If the propo			ted more than						
12.	Assisted by mdf/DWR	,00,	100 feet b	ut within 1320 fee	t from the ext	sling point of						
			diversion, a	allach a topographic	o map or aeria	al photograph.						
			within one-h	nalf mile of the propo	sed point of div	ersion and the						
			names and	sed point of diversion ut within 1320 fee attach a topographic water sources, show alf mile of the proposes show the person show the person show the person to the person of the person	of the owners.	For surface						
			landowner/s	ces, show the nar s) one-half mile do	nes and addr wastream and	esses of the						
			upstream fro	om your property line)S,	one han mile						

14. If the proposed groundwater point of diversion is 300 or fewer feet	t from existing point of diversion, complete the following:
 (a) Does the undersigned represent all owners of the currently at	uthorized place(s) of use identified in this application? plication.)
 (b) Will the ownership interest of any owner of the currently aut affected if this application is approved as requested? ☐ Yes ☒ No (If yes, all owners must sign this a 	horized place(s) of use identified in this application be adversely pplication.)
(c) If this application is not approved expeditiously, will there be s ⊠ Yes ☐ No (if no, all owners must sign this ap	substantial damage to property, public health or safety? plication.)
If the application proposes a surface water change in point of diversion or a change in place of use, the application must be signed by all owned agent (attach notarized statement authorizing representation).	n, a groundwater change in point of diversion greater than 300 feet, ers of the currently authorized place of use, or their duly authorized
I hereby verify, being first duly sworn upon my oath or affin age and the owner, the spouse of the owner, or a duly auth their behalf, in regard to the water right(s) to which this a contained in this application are true, correct and complete	orized agent of the owner(s) to make this application on pplication pertains. I further verify that the statements
Dated at, Kansas, th	ls, 20
7 / 8//	
Brad Shafer	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print) State of Kansas County of Firmly SS	
I hereby certify that the foregoing application was signed in r	my presence and sworn to before me this 2 day of
1	Chery Con Stofe
My Commission Expires 03-31-18.	<u>'</u>
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, a accurate information; maps, if necessary, must be included; signatures of all the he appropriate fee must be paid.	Il of the applicable portions of the application form must be completed with appropriate owners' must be affixed to the application and notarized; and
FEE SCHED	
Each application to change the place of use or the point of diversion undorth in the schedule below: Make checks payable to: Kansas Departn (1) Application to change a point of diversion 300 feet or less, (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	nent of Agriculture

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

pro K.A	visions of the Kansas Water Appropriation Law, K.S.A. 82a-	a-708b, as amended, and K.A.R. 5-14-3 and other applicable 701 et. seq., and rules and regulations promulgated thereunder, essly contained herein, this Summary Order does not change the
1.	A change application was received on <u>September 30, 2016</u> diversion authorized under the above-referenced file number	requesting that the place of use and / or point of be changed as described in the application.
2.	On and after the effective date of this summary order, the at on the topographic map accompanying the application to cha	uthorized place(s) of use shall be located substantially as shown inge the place of use. Applicable Not Applicable
3.	The change in point of diversion shall not impair existing righ previously authorized. The point of diversion authorized by the radius of the authorized point(s) of diversion. Applicable	ts and shall be limited to the same source or sources of water as his summary order shall be located within a foot le ☑ Not Applicable
4.	The point(s) of diversion authorized herein shall not actually authorized point(s) of diversion. Applicable	be located more than feet from the previously in Applicable
5.	tube or other device suitable for making water level measure with K.A.R. 5-6-13. ☐ Applicable ☑ Not Applicable	well with a diversion rate of 100 gallons per minute or more, a ments shall be installed, operated and maintained in accordance
6.	operated and maintained in accordance with K.A.R. 5-1-4 th	perly install an acceptable water flow meter on or before whichever occurs first. The water flow meter shall be installed, rough 5-1-12. As required by K.S.A. 82a-732, as amended, and ne reading of the water flow meter and the total quantity of water the end of each calendar year.
7.	Installation of the works for diversion of water shall be authorized extension of time. By March 1, 20 the aworks for diversion has been completed, on the form provided Applicable Not Applicable	completed on or before December 31, 20, or within any pplicant shall notify the Chief Engineer that construction of the d by the Chief Engineer, as required by K.A.R. 5-8-4e.
8.	The completed well log shall be submitted with the requi	red notice. Applicable Not Applicable
9.	All diversion works into which any type of chemical or other for with an in-line, automatic, quick-closing check valve capable check valve(s) shall be installed, operated and maintained in	oreign substance will be injected into the water shall be equipped e of preventing pollution of the source of the water supply. The accordance with K.A.R. 5-3-5c. ☑ Applicable ☐ Not Applicable
10.	Additional Conditions are attached. Yes KNo	
11.	water appropriated under the above-referenced file number limitations, as amended and/or supplemented by this Summa Appropriation I aw and the Rules and Regulations promula	R. 5-5-14, all of the owners of the authorized place(s) of use of are responsible for compliance with its terms, conditions and party Order, and with applicable provisions of the Kansas Water ated thereunder. Failure to comply with these provisions may ended, and/or the suspension or revocation and dismissal of the authorized by law.
	Administrative Appeal and Effective Date of Order	FOR OFFICE USE ONLY
You	have the right to a hearing in accordance with K.A.R. 5-14-3	APPLICATION APPROVED AND SUMMARY ORDER ISSUED
befo	ore this Summary Order becomes final action of the Kansas partment of Agriculture. Any request for a hearing must be	SOWINARY ORDER 1350ED
filed	with the Chief Engineer, Division of Water Resources,	11 /
Kar Driv	sas Department of Agriculture, 1320 Research Park re, Topeka, Kansas 66502, within 15 days after the date	By: Duly Authorized Designee of the Chief Engineer
sho	wn on the Certificate of Service attached hereto. If a hearing	(Print Name): Thomas P Makens
Ord	of requested in accordance with K.A.R. 5-14-3, this Summary er will become effective on the 15 th day after the date shown	Division of Water Resources - Kansas Department of Agriculture
on t	he Certificate of Service. For Use by Register of Deeds	Date of Issuance: OCTOSEM_ 20, 7016
	7 of cac by flogister of because	State of Kansas)
		County of Firements)
		Acknowledged before me on Ottober 20 2016
		by Thomas P. Makers.
		Signature: Size Kerry
		Notacy Public
		SUE KEENY My Appointment Expires June 8, 2018
		My commission expires: (Notary Seal)

pu change 20782

